
Printed by EAST

UserID: JChen1

Computer: WS04794

Date: 06/30/2000

Time: 19:59

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|----|------|-----|-------|--|-------|---------------------|----------|---|--------|
| 1 | BRS | L1 | 6550 | floating adj gate\$1 | USPAT | 2000/06/30 19:01 | | | 0 |
| 2 | BRS | L2 | 13690 | control adj gate\$1 | USPAT | 2000/06/30 19:01 | | | 0 |
| 3 | BRS | L3 | 4230 | 1 and 2 | USPAT | 2000/06/30 19:01 | | | 0 |
| 4 | BRS | L4 | 6771 | (polish\$ or CMP or (chemical adj mechanis\$ adj polish\$)) near15 (insulat\$ or oxide or dioxide or nitride or isolat\$) | USPAT | 2000/06/30 19:19 | | Truncation Overflow. Return string from Server is: 5'0'0'POL | 1 |
| 5 | BRS | L5 | 113 | 3 and 4 | USPAT | 2000/06/30 19:57 | | | 0 |
| 6 | BRS | L6 | 12767 | (oxide adj2 nitride adj2 oxide) or ONO | USPAT | 2000/06/30 19:23 | | | 0 |
| 7 | BRS | L7 | 73 | 5 and 6 | USPAT | 2000/06/30 19:24 | | | 0 |
| 8 | BRS | L8 | 2705 | (high adj quality adj oxide) or (high adj temperature adj oxide) or HTO or ((LPCVD or (low adj pressure adj chemical adj vapor adj deposit\$)) near10 oxide) | USPAT | 2000/06/30 19:31 | | | 0 |
| 9 | BRS | L9 | 8 | 7 and 8 | USPAT | 2000/06/30 19:32 | | | 0 |
| 10 | IS&R | L10 | 745 | ((("438/259") or ("438/257") or ("438/263") or ("438/264") or ("438/265") or ("438/266"))).CCLS. | USPAT | 2000/06/30 19:59 | | | 0 |

Printed by EAST

UserID: JChen1

Computer: WS04794

Date: 06/30/2000

Time: 19:31

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|------|-----|-------|--|-------|---------------------|----------|---|--------|
| 1 | BRS | L1 | 6550 | floating adj gate\$1 | USPAT | 2000/06/30 19:01 | | | 0 |
| 2 | BRS | L2 | 13690 | control adj gate\$1 | USPAT | 2000/06/30 19:01 | | | 0 |
| 3 | BRS | L3 | 4230 | 1 and 2 | USPAT | 2000/06/30 19:01 | | | 0 |
| 4 | BRS | L4 | 6771 | (polish\$ or CMP or (chemical adj mechanis\$ adj polish\$)) near15 (insulat\$ or oxide or dioxide or nitride or isolat\$) | USPAT | 2000/06/30 19:19 | | Truncation Overflow. Return string from Server is: 5'0'0'POL | 1 |
| 5 | BRS | L5 | 113 | 3 and 4 | USPAT | 2000/06/30 19:22 | | | 0 |
| 6 | BRS | L6 | 12767 | (oxide adj2 nitride adj2 oxide) or ONO | USPAT | 2000/06/30 19:23 | | | 0 |
| 7 | BRS | L7 | 73 | 5 and 6 | USPAT | 2000/06/30 19:24 | | | 0 |
| 8 | BRS | L8 | 2705 | (high adj quality adj oxide) or (high adj temperature adj oxide) or HTO or ((LPCVD or (low adj pressure adj chemical adj vapor adj deposit\$)) near10 oxide) | USPAT | 2000/06/30 19:31 | | | 0 |
| 9 | BRS | L9 | 8 | 7 and 8 | USPAT | 2000/06/30 19:31 | | | 0 |